European Journal of Pharmacology, 215 (1992) 359–361
© 1992 Elsevier Science Publishers B.V. All rights reserved 0014-2999/92/$05.00

Author index

Almotrefi, A.A. and Dzimiri, N.
Effects of β-adrenoceptor blockers on mitochondrial ATPase activity in guinea pig heart preparations (215) 231

Arakawa, H., Tokuyama, K., Yokoyama, T., Mochizuki, H., Morikawa, A., Kuroume, T. and Barnes, P.J.
Effect of maturation on histamine-induced airflow obstruction and airway microvascular leakage in guinea pig airways (215) 51

Asano, M., see Shibasaki, M. (215) 271

Astolfi, M., see Patacchini, R. (215) 93

Azmitia, E.C., see Berger, U.V. (215) 153

Backhauß, C. and Krieglstein, J.
Extract of kava (*Piper methysticum*) and its methysticin constituents protect brain tissue against ischemic damage in rodents (215) 265

Baker, R., see Freedman, S.B. (215) 135

Barnes, N.M., see Jones, D.N.C. (215) 63

Barnes, P.J., see Arakawa, H. (215) 51

Barnes, P.J., see Belvisi, M.G. (215) 341

Barnes, P.J., see Kuo, H.-P. (215) 297

Barnett, A., see McQuade, R.D. (215) 29

Barr, G.A. and Wang, S.
Tolerance and withdrawal to chronic morphine treatment in the week-old rat pup (215) 35

Basdevant, A., see Laferrère, B. (215) 23

Belvisi, M.G., Miura, M., Stretton, D. and Barnes, P.J.
Capsazepine as a selective antagonist of capsaicin-induced activation of C-fibres in guinea-pig bronchi (215) 341

Berger, U.V., Gu, X.F. and Azmitia, E.C.
The substituted amphetamines 3,4-methylenedioxymethamphetamine, methamphetamine, p-chloroamphetamine and fenfluramine induce 5-hydroxytryptamine release via a common mechanism blocked by fluoxetine and cocaine (215) 153

Biscardi, R., see Wilson, M.A. (215) 99

Blackburn, K.J., see Gwilt, M. (215) 137

Bonhomme, G., see Laferrère, B. (215) 23

Braida, C., see Holzmann, S. (215) 1

Broadley, K.J., see Herepath, M.L. (215) 209

Burges, R.A., see Gwilt, M. (215) 137

Calixto, J.B., see Duarte, D.F.P. (215) 75

Carr, L.A., Khristen Basham, J., York, B.K. and Rowell, P.P.
Inhibition of uptake of 1-methyl-4-phenylpyridinium ion and dopamine in striatal synaptosomes by tobacco smoke components (215) 285

Chen, C.-F., see Chiou, W.-F. (215) 277

Cheng, D.Y. and Gruetter, C.A.
Chronic estrogen alters contractile responsiveness to angiotensin II and norepinephrine in female rat aorta (215) 171

Chiou, W.-F., Chou, C.-J., Shum, A.Y.-C. and Chen, C.-F.
The vasorelaxant effect of evodiamine in rat isolated mesenteric arteries: mode of action (215) 277

Chou, C.-J., see Chiou, W.-F. (215) 277

Coffin, V.L., see McQuade, R.D. (215) 29

Cordi, A., see Randle, J.C.R. (215) 237

Costall, B., see Jones, D.N.C. (215) 63

Den Hertog, A., see Van der Zee, L. (215) 317

De Sarro, A., see De Sarro, G. (215) 221

De Sarro, G. and De Sarro, A.
Anticonvulsant activity of competitive antagonists of NMDA receptor in genetically epilepsy-prone rats (215) 221

Dickenson, A.H., see Sullivan, A.F. (215) 127

Domeney, A.M., see Jones, D.N.C. (215) 63

Done, C., Silverstone, P. and Sharp, T.
Effect of naloxone-precipitated morphine withdrawal on noradrenaline release in rat hippocampus in vivo (215) 333

Duarte, D.F.P., Sant'Ana, A.E.G. and Calixto, J.B.
Analysis of the vasorelaxant action of jatrophone in the isolated aorta of the rat: influence of potassium channel blockers (215) 75

Duffy, R.A., see McQuade, R.D. (215) 29

Dzimiri, N., see Almotrefi, A.A. (215) 231

Engler, M.B.
Effects of omega-3, omega-6 and omega-9 fatty acids on vascular smooth muscle tone (215) 325

Franklin, P.H., see Roth, J.E. (215) 293

Freedman, S.B., Patel, S., Harley, E.A., Iversen, L.L., Baker, R., Showell, G.A., Saunders, J., McKnight, A., Newberry, N., Scholey, K. and Hargreaves, R.
L-687,306: a functionally selective and potent muscarinic M_1 receptor agonist (215) 135

Fujimori, K., see Inoue, K. (215) 321

Fujimoto, M., Mihara, S.-i., Shigeri, Y. and Itazaki, K.
Possible implication of peptidase activity in different potency of angiotensins II and III for displacing [^{125}I]angiotensin II binding in pig aorta (215) 259

Fujita, K., see Kobayashi, A. (215) 43

Fukuchi, S., see Mizuno, K. (215) 305

Gaál, L., see Molnár, P. (215) 17

Gomibuchi, T., see Mizuno, K. (215) 305

Gruetter, C.A., see Cheng, D.Y. (215) 171

Gu, X.F., see Berger, U.V. (215) 153

Guet, T., see Randle, J.C.R. (215) 237

Guy-Grand, B., see Laferrère, B. (215) 23

Gwilt, M., Blackburn, K.J., Burges, R.A., Higgins, A.J., Milne, A.A. and Solca, A.M.
Electropharmacology of dofetilide, a new class III agent, in anaesthetised dogs (215) 137

Haga, H., see Mizuno, K. (215) 305

Hargreaves, R., see Freedman, S.B. (215) 135

Harley, E.A., see Freedman, S.B. (215) 135

Herepath, M.L. and Broadley, K.J.
Resistance of β_2-adrenoceptor-mediated responses of lung strips to desensitization by long-term agonist exposure – comparison with atrial β_1-adrenoceptor-mediated responses (215) 209

Heym, J., see Schmidt, A.W. (215) 351

Higgins, A.J., see Gwilt, M. (215) 137

Himeno, A., Niwa, M., Nakao, K., Suga, S.-i., Yamashita, K., Kataoka, Y., Nakane, Y., Imura, H. and Taniyama, K.

C-type natriuretic peptide-22 differentiates between natriuretic peptide receptors in rat choroid plexus and subfornical organ (215) 337
Hishikawa, K., Nakaki, T., Suzuki, H., Saruta, T. and Kato, R.
Transmural pressure inhibits nitric oxide release from human endothelial cells (215) 329
Högberg, T., see Marcusson, J.O. (215) 191
Holtzman, S.G., see Jones, D.N.C. (215) 345
Holzmann, S., Kukovetz, W.R., Braida, C. and Pöch, G.
Pharmacological interaction experiments differentiate between glibenclamide-sensitive K^+ channels and cyclic GMP as components of vasodilation by nicorandil (215) 1
Hönack, D., see Löscher, W. (215) 199
Hough, L.B. and Nalwalk, J.W.
Inhibition of morphine antinociception by centrally administered histamine H_2 receptor antagonists (215) 69
Huang, F.Y., see Tseng, L.F. (215) 309

Ichihara, K., see Okumura, K. (215) 253
Imura, H., see Himeno, A. (215) 337
Inoue, K., Nakazawa, K., Watano, T., Ohara-Imaizumi, M., Fujimori, K. and Takanaka, A.
Dopamine receptor agonists and antagonists enhance ATP-activated currents (215) 321
Itazaki, K., see Fujimoto, M. (215) 259
Itoh, T., see Takao, Y. (215) 245
Iversen, L.L., see Freedman, S.B. (215) 135

Jones, D.N.C. and Holtzman, S.G.
Long term κ-opioid receptor blockade following nor-binaltorphimine (215) 345
Jones, D.N.C., Barnes, N.M., Costall, B., Domeney, A.M., Kilpatrick, G.J., Naylor, R.J. and Tyers, M.B.
The distribution of 5-HT_3 recognition sites in the marmoset brain (215) 63

Kalso, E.A., see Sullivan, A.F. (215) 127
Kamisaki, Y., see Takao, Y. (215) 245
Kataoka, Y., see Himeno, A. (215) 337
Kato, R., see Hishikawa, K. (215) 329
Khristen Basham, J., see Carr, L.A. (215) 285
Kilpatrick, G.J., see Jones, D.N.C. (215) 63
Kobayashi, A., Fujita, K. and Nakazawa, K.
In rat brain amoxapine enhances dopamine metabolism: pharmacokinetic variations of the effect (215) 43
Koide, T., see Sugawa, M. (215) 57
Krieglstein, J., see Backhauß, C. (215) 265
Kukovetz, W.R., see Holzmann, S. (215) 1
Kuo, H.-P., Rohde, J.A.L., Barnes, P.J. and Rogers, D.F.
K^+ channel activator inhibition of neurogenic goblet cell secretion in guinea pig trachea (215) 297
Kuroume, T., see Arakawa, H. (215) 51

Laferrère, B., Leroy, F., Bonhomme, G., Le Gall, A., Basdevant, A. and Guy-Grand, B.
Effects of bombesin, of a new bombesin agonist (BIM187) and a new antagonist (BIM189) on food intake in rats, in relation to cholecystokinin (215) 23
Le Gall, A., see Laferrère, B. (215) 23
Lepagnol, J.M., see Randle, J.C.R. (215) 237
Leroy, F., see Laferrère, B. (215) 23
Liu, C.-F., see Tao, P.-L. (215) 301
Löscher, W. and Hönack, D.
The behavioural effects of MK-801 in rats: involvement of dopaminergic, serotonergic and noradrenergic systems (215) 199
Luomala, K., see Sjöholm, B. (215) 109

Maggi, C.A., see Patacchini, R. (215) 93
Marcusson, J.O., Norinder, U., Högberg, T. and Ross, S.B.
Inhibition of [^{3}H]paroxetine binding by various serotonin uptake inhibitors: structure–activity relationships (215) 191
Martin-Iverson, M.T. and Yamada, N.
Synergistic behavioural effects of dopamine D_1 and D_2 receptor agonists are determined by circadian rhythms (215) 119
Martin, J.R.
Pressor response to posterior hypothalamic administration of carbachol is mediated by muscarinic M_3 receptor (215) 83
Martinez, R.P., see Raffa, R.B. (215) 357
May, T.
Striatal dopamine D_1-like receptors have higher affinity for dopamine in ethanol-treated rats (215) 313
McDonald, J.W. and Schoepp, D.D.
The metabotropic excitatory amino acid receptor agonist 1S,3R-ACPD selectively potentiates N-methyl-D-aspartate-induced brain injury (215) 353
McKnight, A., see Freedman, S.B. (215) 135
McLean, S., see Schmidt, A.W. (215) 351
McMillan, D.E.
Effects of drugs on behavior before and during chronic diazepam administration (215) 145
McQuade, R.D., Duffy, R.A., Coffin, V.L. and Barnett, A.
In vivo binding to dopamine receptors: a correlate of potential antipsychotic activity (215) 29
McQuay, H.J., see Sullivan, A.F. (215) 127
Mierau, J. and Schingnitz, G.
Biochemical and pharmacological studies on pramipexole, a potent and selective dopamine D_2 receptor agonist (215) 161
Mihara, S.-i., see Fujimoto, M. (215) 259
Millan, M.J.
Evidence that an α_{2A}-adrenoceptor subtype mediates antinociception in mice (215) 355
Milne, A.A., see Gwilt, M. (215) 137
Miura, M., see Belvisi, M.G. (215) 341
Mizuno, K., Niimura, S., Tani, M., Haga, H., Gomibuchi, T., Sanada, H. and Fukuchi, S.
Antihypertensive and hormonal activity of MK 954 in spontaneously hypertensive rats (215) 305
Mochizuki, H., see Arakawa, H. (215) 51
Molnár, P. and Gaál, L.
Effect of different subtypes of cognition enhancers on long-term potentiation in the rat dentate gyrus in vivo (215) 17
Morikawa, A., see Arakawa, H. (215) 51
Murakami, K., see Shibasaki, M. (215) 271
Murray, T.F., see Roth, J.E. (215) 293

Nagasaka, M., see Okumura, K. (215) 253
Nakaki, T., see Hishikawa, K. (215) 329
Nakane, Y., see Himeno, A. (215) 337
Nakao, K., see Himeno, A. (215) 337
Nakashima, M., see Takiguchi, Y. (215) 289
Nakazawa, K., see Inoue, K. (215) 321
Nakazawa, K., see Kobayashi, A. (215) 43
Nalwalk, J.W., see Hough, L.B. (215) 69
Naylor, R.J., see Jones, D.N.C. (215) 63
Nelemans, A., see Van der Zee, L. (215) 317
Newberry, N., see Freedman, S.B. (215) 135
Nielsen-Kudsk, J.E., see Thirstrup, S. (215) 177
Niimura, S., see Mizuno, K. (215) 305
Niwa, M., see Himeno, A. (215) 337
Norinder, U., see Marcusson, J.O. (215) 191

Ohara-Imaizumi, M., see Inoue, K. (215) 321
Okumura, K., Ichihara, K. and Nagasaka, M.
Effects of imidazoline-related compounds on the mechanical

response to nicorandil in the rat portal vein (215) 253
Otero Losada, M.E. and Rubio, M.C.
Effects of i.c.v. lithium chloride administration on monoamine concentration in rat mediobasal hypothalamus (215) 185

Patacchini, R., Santicioli, P., Astolfi, M., Rovero, P., Viti, G. and Maggi, C.A.
Activity of peptide and non-peptide antagonists at peripheral NK_1 receptors (215) 93
Patel, S., see Freedman, S.B. (215) 135
Pöch, G., see Holzmann, S. (215) 1

Raffa, R.B. and Martinez, R.P.
Morphine antinociception is mediated through a LiCl-sensitive, IP_3-restorable pathway (215) 357
Randle, J.C.R., Guet, T., Cordi, A. and Lepagnol, J.M.
Competitive inhibition by NBQX of kainate/AMPA receptor currents and excitatory synaptic potentials: importance of 6-nitro substitution (215) 237
Reis, D.J., see Sun, M.-k. (215) 9
Rogers, D.F., see Kuo, H.-P. (215) 297
Rohde, J.A.L., see Kuo, H.-P. (215) 297
Ross, S.B., see Marcusson, J.O. (215) 191
Roth, J.E., Zhang, G., Murray, T.F. and Franklin, P.H.
Dextrorotatory opioids and phencyclidine exert anticonvulsant action in prepiriform cortex (215) 293
Rovero, P., see Patacchini, R. (215) 93
Rowell, P.P., see Carr, L.A. (215) 285
Rubio, M.C., see Otero Losada, M.E. (215) 185

Sanada, H., see Mizuno, K. (215) 305
Sant'Ana, A.E.G., see Duarte, D.F.P. (215) 75
Santicioli, P., see Patacchini, R. (215) 93
Saruta, T., see Hishikawa, K. (215) 329
Saunders, J., see Freedman, S.B. (215) 135
Savola, J.-M., see Sjöholm, B. (215) 109
Scheinin, M., see Sjöholm, B. (215) 109
Schingnitz, G., see Mierau, J. (215) 161
Schmidt, A.W., McLean, S. and Heym, J.
The substance P receptor antagonist CP-96,345 interacts with Ca^{2+} channels (215) 351
Schoepp, D.D., see McDonald, J.W. (215) 353
Scholey, K., see Freedman, S.B. (215) 135
Sharp, T., see Done, C. (215) 333
Shibasaki, M., Sudoh, K., Asano, M. and Murakami, K.
The effect of intravenous recombinant human renin on blood pressure in pithed spontaneously hypertensive rats (215) 271
Shigeri, Y., see Fujimoto, M. (215) 259
Showell, G.A., see Freedman, S.B. (215) 135
Shum, A.Y.-C., see Chiou, W.-F. (215) 277
Silverstone, P., see Done, C. (215) 333
Sjöholm, B., Voutilainen, R., Luomala, K., Savola, J.-M. and Scheinin, M.
Characterization of [^{3}H]atipamezole as a radioligand for α_2-adrenoceptors (215) 109
Solca, A.M., see Gwilt, M. (215) 137
Stretton, D., see Belvisi, M.G. (215) 341
Sudoh, K., see Shibasaki, M. (215) 271
Suga, S.-i., see Himeno, A. (215) 337
Sugawa, M., Koide, T. and Takato, M.
BY-1949 elicits vasodilatation via preferential elevation of cyclic GMP levels within the cerebral artery: possible involvement of endothelium-mediated mechanisms (215) 57
Sullivan, A.F., Kalso, E.A., McQuay, H.J. and Dickenson, A.H.
The antinociceptive actions of dexmedetomidine on dorsal horn neuronal responses in the anaesthetized rat (215) 127
Sun, M.-k., Wahlestedt, C. and Reis, D.J.
Inositol hexakisphosphate excites rat medullary sympathoexcitatory neurons in vivo (215) 9
Suzuki, H., see Hishikawa, K. (215) 329

Takanaka, A., see Inoue, K. (215) 321
Takao, Y., Kamisaki, Y. and Itoh, T.
β-Adrenergic regulation of amine precursor amino acid transport across the blood-brain barrier (215) 245
Takato, M., see Sugawa, M. (215) 57
Takiguchi, Y., Wada, K. and Nakashima, M.
Effect of aldose reductase inhibitor on the inhibition of platelet aggregation induced by diabetic rat plasma (215) 289
Tani, M., see Mizuno, K. (215) 305
Taniyama, K., see Himeno, A. (215) 337
Tao, P.-L. and Liu, C.-F.
Chronic morphine treatment causes down-regulation of spinal adenosine A_1 receptors in rats (215) 301
Thirstrup, S. and Nielsen-Kudsk, J.E.
Effects of K^+ channel blockers on the relaxant action of dihydralazine, cromakalim and nitroprusside in isolated rabbit femoral arteries (215) 177
Tokuyama, K., see Arakawa, H. (215) 51
Tseng, L.F. and Huang, F.Y.
Release of immunoreactive [Met^5]enkephalin and cholecystokinin from the spinal cord by β-endorphin administered intraventricularly in the pentobarbital- anesthetized rat (215) 309
Tyers, M.B., see Jones, D.N.C. (215) 63

Van Amsterdam, J.G.C. and Wemer, J.
Tetrahydrobiopterin induces vasodilatation via enhancement of cGMP level (215) 349
Van der Zee, L., Nelemans, A. and Den Hertog, A.
Nucleotide receptors on DDT_1 MF-2 vas deferens cells (215) 317
Viti, G., see Patacchini, R. (215) 93
Voutilainen, R., see Sjöholm, B. (215) 109

Wada, K., see Takiguchi, Y. (215) 289
Wahlestedt, C., see Sun, M.-k. (215) 9
Wang, S., see Barr, G.A. (215) 35
Watano, T., see Inoue, K. (215) 321
Wemer, J., see Van Amsterdam, J.G.C. (215) 349
Wilson, M.A. and Biscardi, R.
Effects of gender and gonadectomy on responses to chronic benzodiazepine receptor agonist exposure in rats (215) 99

Yamada, N., see Martin-Iverson, M.T. (215) 119
Yamashita, K., see Himeno, A. (215) 337
Yokoyama, T., see Arakawa, H. (215) 51
York, B.K., see Carr, L.A. (215) 285

Zhang, G., see Roth, J.E. (215) 293

European Journal of Pharmacology, 215 (1992) 363–371
© 1992 Elsevier Science Publishers B.V. All rights reserved 0014-2999/92/$05.00

Key word index

Adenosine receptors
Morphine; Antinociception; Tolerance; (Rat) (Tao, P.-L. (215) 301)

α_2-Adrenoceptor agonists
Antinociception; Spinal cord; Dorsal horn neurons; Dexmedetomidine; Opioids (Sullivan, A.F. (215) 127)

α-Adrenoceptor antagonists
α_2-Adrenoceptors; Non-adrenergic binding sites; [^{3}H]-Atipamezole; [^{3}H]Rauwolscine (Sjöholm, B. (215) 109)

β-Adrenoceptor antagonists
Atenolol; Indenolol; Nadolol; Propranolol; Mitochondrial ATPase activity (Almotrefi, A.A. (215) 231)

β-Adrenoceptor-mediated responses
Desensitization; Lung parenchymal strips (guinea-pig); Atria (guinea-pig) (Herepath, M.L. (215) 209)

α_2-Adrenoceptors
α-Adrenoceptor antagonists; Non-adrenergic binding sites; [^{3}H]Atipamezole; [^{3}H]Rauwolscine (Sjöholm, B. (215) 109)

Nociception; Pain (Millan, M.J. (215) 355)

β_2-Adrenoceptors
Amino acid transport; Blood–brain barrier; L-DOPA (L-3,4-dihydroxyphenylalanine); Isoproterenol; Salbutamol (Takao, Y. (215) 245)

Aging
Airway obstruction; Asthma; Oedema; Histamine; Plasma exudation; Substance P; Vascular permeability (Arakawa, H. (215) 51)

Airway obstruction
Aging; Asthma; Oedema; Histamine; Plasma exudation; Substance P; Vascular permeability (Arakawa, H. (215) 51)

Aldose reductase inhibitors
Platelet aggregation; Diabetes; (Rat) (Takiguchi, Y. (215) 289)

Aldosterone
Spontaneously hypertensive rat (SHR); MK 954 (DuP 753); Renin; Angiotensin II; (Rat) (Mizuno, K. (215) 305)

Amino acid transport
Blood–brain barrier; β_2-Adrenoceptors; L-DOPA (L-3,4-dihydroxyphenylalanine); Isoproterenol; Salbutamol (Takao, Y. (215) 245)

Amoxapine
Pharmacokinetics (cerebral); Dopamine; DOPAC (3,4-dihydroxyphenylacetic acid); Homovanillic acid (HVA) (Kobayashi, A. (215) 43)

Amphetamine analogues
Monoamine release; Synaptosomes; 5-HT (5-hydroxytryptamine, serotonin) (Berger, U.V. (215) 153)

Analgesia
Lithium chloride; Phosphoinositide (IP_3) (Raffa, R.B. (215) 357)

Angiotensin II
Jatrophone; Aorta (rat); K^+ channel blockers; Ca^{2+}; KCl; Noradrenaline (Duarte, D.F.P. (215) 75)

Estrogen; Aorta (rat); Norepinephrine; Contraction (Cheng, D.Y. (215) 171)

Angiotensin receptors; Angiotensin III; Smooth muscle cells; Protease inhibitors (Fujimoto, M. (215) 259)

Spontaneously hypertensive rat (SHR); Aldosterone; MK 954 (DuP 753); Renin; (Rat) (Mizuno, K. (215) 305)

Angiotensin III
Angiotensin receptors; Angiotensin II; Smooth muscle cells; Protease inhibitors (Fujimoto, M. (215) 259)

Angiotensin receptors
Angiotensin II; Angiotensin III; Smooth muscle cells; Protease inhibitors (Fujimoto, M. (215) 259)

ANP (atrial natriuretic peptide)
C-type natriuretic peptide-22; ANP receptors; Subfornical organ; Choroid plexus; (Rat) (Himeno, A. (215) 337)

ANP receptors
C-type natriuretic peptide-22; ANP (atrial natriuretic peptide); Subfornical organ; Choroid plexus; (Rat) (Himeno, A. (215) 337)

Antiarrhythmic agents
K^+ channels; Ventricular fibrillation (Gwilt, M. (215) 137)

Anticonvulsants
Benzodiazepine exposure (chronic); Tolerance; Steroid hormones; Ovariectomy; GABA/benzodiazepine receptors (Wilson, M.A. (215) 99)

Epilepsy; NMDA receptor antagonists; Audiogenic seizures; Genetically epilepsy-prone rats (De Sarro, G. (215) 221)

Dextrorphan; NMDA receptor antagonists (non-competitive); Prepiriform cortex; PCP (1-(1-phenylcyclohexyl)piperidine hydrochloride); MK-801 (Roth, J.E. (215) 293)

Antinociception
Development; Distress vocalization; Ultrasonic vocalization; Tolerance; Withdrawal; Morphine; Opiates (Barr, G.A. (215) 35)

Histamine; Histamine H_2 receptors; Histamine H_2 receptor antagonists; Brain; Morphine (Hough, L.B. (215) 69)

Spinal cord; Dorsal horn neurons; α_2-Adrenoceptor agonists; Dexmedetomidine; Opioids (Sullivan, A.F. (215) 127)

Morphine; Tolerance; Adenosine receptors; (Rat) (Tao, P.-L. (215) 301)

Nor-binaltorphimine (nor-BNI); Spiradoline; Morphine; κ-Opioid receptors (Jones, D.N.C. (215) 345)

Aorta (rat)
Jatrophone; K^+ channel blockers; Ca^{2+}; KCl; Angiotensin II; Noradrenaline (Duarte, D.F.P. (215) 75)

Estrogen; Angiotensin II; Norepinephrine; Contraction (Cheng, D.Y. (215) 171)

Apomorphine
NMDA (N-methyl-D-aspartate); MK-801 (dizocilpine); Dopamine; 5-HT (5-hydroxytryptamine, serotonin); Ipsapirone; Schizophrenia; Stereotypies; Haloperidol (Löscher, W. (215) 199)

Asthma
Aging; Airway obstruction; Oedema; Histamine; Plasma exudation; Substance P; Vascular permeability (Arakawa, H. (215) 51)

Atenolol
β-Adrenoceptor antagonists; Indenolol; Nadolol; Propranolol; Mitochondrial ATPase activity (Almotrefi, A.A. (215) 231)

[^{3}H]Atipamezole
α_2-Adrenoceptors; α-Adrenoceptor antagonists; Non-adrenergic binding sites; [^{3}H]Rauwolscine (Sjöholm, B. (215) 109)

ATP
Smooth muscle cells; DDT_1 MF-2 cells; Nucleotide receptors; UTP; K^+ currents (Van der Zee, L. (215) 317)

Ion channels; Dopamine; Dopamine receptor agonists; Dopamine receptor antagonists; Pheochromocytoma PC12 cells (Inoue, K. (215) 321)

Atria (guinea-pig)
β-Adrenoceptor-mediated responses; Desensitization; Lung parenchymal strips (guinea-pig) (Herepath, M.L. (215) 209)

Audiogenic seizures
Epilepsy; NMDA receptor antagonists; Anticonvulsants; Genetically epilepsy-prone rats (De Sarro, G. (215) 221)

Autoradiography
[^{3}H]GR65630; Brain; 5-HT_3 recognition sites; (Common marmoset) (Jones, D.N.C. (215) 63)

Basilar artery
BY-1949; Cerebral blood flow; Cyclic nucleotides; Endothelial cells (Sugawa, M. (215) 57)

Benzodiazepine exposure (chronic)
Tolerance; Steroid hormones; Ovariectomy; GABA/benzodiazepine receptors; Anticonvulsants (Wilson, M.A. (215) 99)

Blood–brain barrier
Amino acid transport; β_2-Adrenoceptors; L-DOPA (L-3,4-dihydroxyphenylalanine); Isoproterenol; Salbutamol (Takao, Y. (215) 245)

Blood pressure
Recombinant renin (human); Spontaneously hypertensive rat (SHR); Renin inhibitors (Shibasaki, M. (215) 271)

Bombesin
Food intake; Satiety; Bombesin receptor agonists; Bombesin receptor antagonists; CCK receptor antagonists (Laferrère, B. (215) 23)

Bombesin receptor agonists
Food intake; Bombesin; Satiety; Bombesin receptor antagonists; CCK receptor antagonists (Laferrère, B. (215) 23)

Bombesin receptor antagonists
Food intake; Bombesin; Satiety; Bombesin receptor agonists; CCK receptor antagonists (Laferrère, B. (215) 23)

Brain
[^{3}H]GR65630; Autoradiography; 5-HT_3 recognition sites; (Common marmoset) (Jones, D.N.C. (215) 63)

Histamine; Histamine H_2 receptors; Histamine H_2 receptor antagonists; Morphine; Antinociception (Hough, L.B. (215) 69)

Brain (rat)
[^{3}H]Paroxetine binding; 5-HT uptake inhibitors; Structure–activity relationship (Marcusson, J.O. (215) 191)

Ethanol intake; Dopamine receptors; Dopamine D_1 receptors; Dopamine D_2 receptors; (Agonist affinity) (May, T. (215) 313)

BY-1949
Cerebral blood flow; Cyclic nucleotides; Basilar artery; Endothelial cells (Sugawa, M. (215) 57)

Ca^{2+}
Jatrophone; Aorta (rat); K^+ channel blockers; KCl; Angiotensin II; Noradrenaline (Duarte, D.F.P. (215) 75)

Ca^{2+} channels
Evodiamine; Endothelium; K^+ channels; Mesenteric artery (Chiou, W.-F. (215) 277)

CP-96,345; Substance P (Schmidt, A.W. (215) 351)

Capsaicin
Capsazepine; Non-adrenergic non-cholinergic (NANC) excitatory nerves; Electrical field stimulation; Tetrodotoxin (Belvisi, M.G. (215) 341)

Capsazepine
Non-adrenergic non-cholinergic (NANC) excitatory nerves; Capsaicin; Electrical field stimulation; Tetrodotoxin (Belvisi, M.G. (215) 341)

Carbachol
Posterior hypothalamic nucleus; Muscarinic receptor antagonists; (Rat) (Martin, J.R. (215) 83)

CCK receptor antagonists
Food intake; Bombesin; Satiety; Bombesin receptor agonists; Bombesin receptor antagonists (Laferrère, B. (215) 23)

CCK-8s (sulfated cholecystokinin octapeptide)
β-Endorphin; [Met^5]enkephalin; Tail-flick inhibition (Tseng, L.F. (215) 309)

Cerebral blood flow
BY-1949; Cyclic nucleotides; Basilar artery; Endothelial cells (Sugawa, M. (215) 57)

Choroid plexus
C-type natriuretic peptide-22; ANP (atrial natriuretic peptide); ANP receptors; Subfornical organ; (Rat) (Himeno, A. (215) 337)

Circadian rhythms
Dopamine; Dopamine D_1 receptors; Dopamine D_2 receptors; Locomotion; Sensitization; Tolerance; PHNO ((+)-4-propyl-9-hydroxynaphthoxazine); SKF 38393 (Martin-Iverson, M.T. (215) 119)

Clonidine
Microdialysis; Noradrenaline; Hippocampus; Morphine withdrawal (Done, C. (215) 333)

Cognition enhancers
Long-term potentiation (LTP); Hippocampus; Dentate gyrus; Perforant path stimulation; (Rat); (In vivo) (Molnár, P. (215) 17)

Conditioned avoidance response
Dopamine D_1 receptors; Dopamine D_2 receptors; (In vivo binding) (McQuade, R.D. (215) 29)

Contraction
Estrogen; Angiotensin II; Aorta (rat); Norepinephrine (Cheng, D.Y. (215) 171)

CP-96,345
NK_1 receptors; Tachykinin receptor antagonists; FR 113680; L 668,169; Spantide II (Patacchini, R. (215) 93)

Substance P; Ca^{2+} channels (Schmidt, A.W. (215) 351)

Cromakalim
Dihydralazine; Hydralazine; Nitroprusside; K^+ channels; Smooth muscle (vascular) (Thirstrup, S. (215) 177)

C-type natriuretic peptide-22
ANP (atrial natriuretic peptide); ANP receptors; Subfornical organ; Choroid plexus; (Rat) (Himeno, A. (215) 337)

Cyclic nucleotides
BY-1949; Cerebral blood flow; Basilar artery; Endothelial cells (Sugawa, M. (215) 57)

DDT_1 MF-2 cells
Smooth muscle cells; Nucleotide receptors; ATP; UTP; K^+ currents (Van der Zee, L. (215) 317)

Dentate gyrus
Long-term potentiation (LTP); Cognition enhancers; Hippocampus; Perforant path stimulation; (Rat); (In vivo) (Molnár, P. (215) 17)

Desensitization
β-Adrenoceptor-mediated responses; Lung parenchymal strips (guinea-pig); Atria (guinea-pig) (Herepath, M.L. (215) 209)

Development
Antinociception; Distress vocalization; Ultrasonic vocalization; Tolerance; Withdrawal; Morphine; Opiates (Barr, G.A. (215) 35)

Dexmedetomidine
Antinociception; Spinal cord; Dorsal horn neurons; α_2-Adrenoceptor agonists; Opioids (Sullivan, A.F. (215) 127)

Dextrorphan
NMDA receptor antagonists (non-competitive); Anticonvulsants; Prepiriform cortex; PCP (1-(1-phenylcyclohexyl)piperidine hydrochloride); MK-801 (Roth, J.E. (215) 293)

Diabetes
Aldose reductase inhibitors; Platelet aggregation; (Rat) (Takiguchi, Y. (215) 289)

Diazepam
Punishment; Fixed-interval responding; Pentobarbital; Phencyclidine; Tolerance; (Pigeon) (McMillan, D.E. (215) 145)

Dihydralazine
Hydralazine; Cromakalim; Nitroprusside; K^+ channels; Smooth muscle (vascular) (Thirstrup, S. (215) 177)

Distress vocalization
Development; Antinociception; Ultrasonic vocalization; Tolerance; Withdrawal; Morphine; Opiates (Barr, G.A. (215) 35)

Docosahexaenoic acid
Eicosapentaenoic acid; Fatty acids (omega-3, omega-6, omega-9); Fish oil (Engler, M.B. (215) 325)

DOPAC (3,4-dihydroxyphenylacetic acid)
Amoxapine; Pharmacokinetics (cerebral); Dopamine; Homovanillic acid (HVA) (Kobayashi, A. (215) 43)

L-DOPA (L-3,4-dihydroxyphenylalanine)
Amino acid transport; Blood–brain barrier; β_2-Adrenoceptors; Isoproterenol; Salbutamol (Takao, Y. (215) 245)

Dopamine
Amoxapine; Pharmacokinetics (cerebral); DOPAC (3,4-dihydroxyphenylacetic acid); Homovanillic acid (HVA) (Kobayashi, A. (215) 43)

Circadian rhythms; Dopamine D_1 receptors; Dopamine D_2 receptors; Locomotion; Sensitization; Tolerance; PHNO ((+)-4-propyl-9-hydroxynaphthoxazine); SKF 38393 (Martin-Iverson, M.T. (215) 119)

NMDA (N-methyl-D-aspartate); MK-801 (dizocilpine); 5-HT (5-hydroxytryptamine, serotonin); Ipsapirone; Schizophrenia; Stereotypies; Haloperidol; Apomorphine (Löscher, W. (215) 199)

ATP; Ion channels; Dopamine receptor agonists; Dopamine receptor antagonists; Pheochromocytoma PC12 cells (Inoue, K. (215) 321)

Dopamine receptor agonists
ATP; Ion channels; Dopamine; Dopamine receptor antagonists; Pheochromocytoma PC12 cells (Inoue, K. (215) 321)

Dopamine receptor antagonists
ATP; Ion channels; Dopamine; Dopamine receptor agonists; Pheochromocytoma PC12 cells (Inoue, K. (215) 321)

Dopamine receptors
Ethanol intake; Brain (rat); Dopamine D_1 receptors; Dopamine D_2 receptors; (Agonist affinity) (May, T. (215) 313)

Dopamine receptors (presynaptic, postsynaptic)
Pramipexole (SND 919); (Rat); (Monkey) (Mierau, J. (215) 161)

Dopamine D_1 receptors
Conditioned avoidance response; Dopamine D_2 receptors; (In vivo binding) (McQuade, R.D. (215) 29)

Circadian rhythms; Dopamine; Dopamine D_2 receptors; Locomotion; Sensitization; Tolerance; PHNO ((+)-4-propyl-9-hydroxynaphthoxazine); SKF 38393 (Martin-Iverson, M.T. (215) 119)

Ethanol intake; Brain (rat); Dopamine receptors; Dopamine D_2 receptors; (Agonist affinity) (May, T. (215) 313)

Dopamine D_2 receptors
Conditioned avoidance response; Dopamine D_1 receptors; (In vivo binding) (McQuade, R.D. (215) 29)

Circadian rhythms; Dopamine; Dopamine D_1 receptors; Locomotion; Sensitization; Tolerance; PHNO ((+)-4-propyl-9-hydroxynaphthoxazine); SKF 38393 (Martin-Iverson, M.T. (215) 119)

Ethanol intake; Brain (rat); Dopamine receptors; Dopamine D_1 receptors; (Agonist affinity) (May, T. (215) 313)

Dopamine uptake
MPP^+ (1-methyl-4-phenylpyridinium ion); Striatum; Nicotine; Tobacco smoke (Carr, L.A. (215) 285)

Dorsal horn neurons
Antinociception; Spinal cord; α_2-Adrenoceptor agonists; Dexmedetomidine; Opioids (Sullivan, A.F. (215) 127)

EDRF (endothelium-derived relaxing factor)
Nitric oxide (NO); Pressure; Endothelial cells; Mechanoreceptors; Hypertension (Hishikawa, K. (215) 329)

Eicosapentaenoic acid
Docosahexaenoic acid; Fatty acids (omega-3, omega-6, omega-9); Fish oil (Engler, M.B. (215) 325)

Electrical field stimulation
Capsazepine; Non-adrenergic non-cholinergic (NANC) excitatory nerves; Capsaicin; Tetrodotoxin (Belvisi, M.G. (215) 341)

β-Endorphin
CCK-8s (sulfated cholecystokinin octapeptide); [Met^5]enkephalin; Tail-flick inhibition (Tseng, L.F. (215) 309)

Endothelial cells
BY-1949; Cerebral blood flow; Cyclic nucleotides; Basilar artery (Sugawa, M. (215) 57)

EDRF (endothelium-derived relaxing factor); Nitric oxide (NO); Pressure; Mechanoreceptors; Hypertension (Hishikawa, K. (215) 329)

Endothelium
Evodiamine; Ca^{2+} channels; K^+ channels; Mesenteric artery (Chiou, W.-F. (215) 277)

[Met^5]enkephalin
β-Endorphin; CCK-8s (sulfated cholecystokinin octapeptide); Tail-flick inhibition (Tseng, L.F. (215) 309)

Epilepsy
NMDA receptor antagonists; Anticonvulsants; Audiogenic seizures; Genetically epilepsy-prone rats (De Sarro, G. (215) 221)

Estrogen
Angiotensin II; Aorta (rat); Norepinephrine; Contraction (Cheng, D.Y. (215) 171)

Ethanol intake
Brain (rat); Dopamine receptors; Dopamine D_1 receptors; Dopamine D_2 receptors; (Agonist affinity) (May, T. (215) 313)

Evodiamine
Endothelium; Ca^{2+} channels; K^+ channels; Mesenteric artery (Chiou, W.-F. (215) 277)

Excitatory amino acid
Excitotoxicity; Metabotropic receptors (McDonald, J.W. (215) 353)

Excitotoxicity
Excitatory amino acid; Metabotropic receptors (McDonald, J.W. (215) 353)

Fatty acids (omega-3, omega-6, omega-9)
Docosahexaenoic acid; Eicosapentaenoic acid; Fish oil (Engler, M.B. (215) 325)

Fish oil
Docosahexaenoic acid; Eicosapentaenoic acid; Fatty acids (omega-3, omega-6, omega-9) (Engler, M.B. (215) 325)

Fixed-interval responding
Punishment; Diazepam; Pentobarbital; Phencyclidine; Tolerance; (Pigeon) (McMillan, D.E. (215) 145)

Food intake
Bombesin; Satiety; Bombesin receptor agonists; Bombesin receptor antagonists; CCK receptor antagonists (Laferrère, B. (215) 23)

FR 113680
NK_1 receptors; Tachykinin receptor antagonists; CP-96,345; L 668,169; Spantide II (Patacchini, R. (215) 93)

Functional selectivity
Muscarinic M_1 receptor agonists; L-687,306 (Freedman, S.B. (215) 135)

GABA/benzodiazepine receptors
Benzodiazepine exposure (chronic); Tolerance; Steroid hormones; Ovariectomy; Anticonvulsants (Wilson, M.A. (215) 99)

Genetically epilepsy-prone rats
Epilepsy; NMDA receptor antagonists; Anticonvulsants; Audiogenic seizures (De Sarro, G. (215) 221)

cGMP
Nicorandil; Hyperpolarization; K^+ channels (ATP-dependent); Methylene blue (Holzmann, S. (215) 1)

Goblet cell secretion
K^+ channel activators (Kuo, H.-P. (215) 297)

[^{3}H]GR65630
Brain; Autoradiography; 5-HT_3 recognition sites; (Common marmoset) (Jones, D.N.C. (215) 63)

Haloperidol
NMDA (N-methyl-D-aspartate); MK-801 (dizocilpine); Dopamine; 5-HT (5-hydroxytryptamine, serotonin); Ipsapirone; Schizophrenia; Stereotypies; Apomorphine (Löscher, W. (215) 199)

Hippocampal slices
Xenopus oocytes (rat cortex mRNA-injected); Quinoxalinediones (Randle, J.C.R. (215) 237)

Hippocampus
Long-term potentiation (LTP); Cognition enhancers; Dentate gyrus; Perforant path stimulation; (Rat); (In vivo) (Molnár, P. (215) 17)

Microdialysis; Noradrenaline; Morphine withdrawal; Clonidine (Done, C. (215) 333)

Histamine
Aging; Airway obstruction; Asthma; Oedema; Plasma exudation; Substance P; Vascular permeability (Arakawa, H. (215) 51)

Histamine H_2 receptors; Histamine H_2 receptor antagonists; Brain; Morphine; Antinociception (Hough, L.B. (215) 69)

Histamine H_2 receptor antagonists
Histamine; Histamine H_2 receptors; Brain; Morphine; Antinociception (Hough, L.B. (215) 69)

Histamine H_2 receptors
Histamine; Histamine H_2 receptor antagonists; Brain; Morphine; Antinociception (Hough, L.B. (215) 69)

Homovanillic acid (HVA)
Amoxapine; Pharmacokinetics (cerebral); Dopamine; DOPAC (3,4-dihydroxyphenylacetic acid) (Kobayashi, A. (215) 43)

5-HT (5-hydroxytryptamine, serotonin)
Amphetamine analogues; Monoamine release; Synaptosomes (Berger, U.V. (215) 153)

NMDA (N-methyl-D-aspartate); MK-801 (dizocilpine); Dopamine; Ipsapirone; Schizophrenia; Stereotypies; Haloperidol; Apomorphine (Löscher, W. (215) 199)

5-HT_3 recognition sites
[^{3}H]GR65630; Brain; Autoradiography; (Common marmoset) (Jones, D.N.C. (215) 63)

5-HT uptake inhibitors
[^{3}H]Paroxetine binding; Structure–activity relationship; Brain (rat) (Marcusson, J.O. (215) 191)

Hydralazine
Dihydralazine; Cromakalim; Nitroprusside; K^+ channels; Smooth muscle (vascular) (Thirstrup, S. (215) 177)

Hyperpolarization
Nicorandil; K^+ channels (ATP-dependent); cGMP; Methylene blue (Holzmann, S. (215) 1)

Hypertension
EDRF (endothelium-derived relaxing factor); Nitric oxide (NO); Pressure; Endothelial cells; Mechanoreceptors (Hishikawa, K. (215) 329)

Hypothalamus
Lithium chloride; Monoamines; (i.c.v.) (Otero Losada, M.E. (215) 185)

Imidazoline
Nicorandil; Portal vein (rat); K^+ channels (Okumura, K. (215) 253)

Indenolol
β-Adrenoceptor antagonists; Atenolol; Nadolol; Propranolol; Mitochondrial ATPase activity (Almotrefi, A.A. (215) 231)

Inositol hexakisphosphate
Vasomotor neurons; Medulla (rostral ventrolateral); Phytic acid (Sun, M.-k. (215) 9)

Ion channels
ATP; Dopamine; Dopamine receptor agonists; Dopamine receptor antagonists; Pheochromocytoma PC12 cells (Inoue, K. (215) 321)

Ipsapirone
NMDA (N-methyl-D-aspartate); MK-801 (dizocilpine); Dopamine; 5-HT (5-hydroxytryptamine, serotonin); Schizophrenia; Stereotypies; Haloperidol; Apomorphine (Löscher, W. (215) 199)

Isoproterenol
Amino acid transport; Blood–brain barrier; β_2-Adrenoceptors; L-DOPA (L-3,4-dihydroxyphenylalanine); Salbutamol (Takao, Y. (215) 245)

Jatrophone
Aorta (rat); K^+ channel blockers; Ca^{2+}; KCl; Angiotensin II; Noradrenaline (Duarte, D.F.P. (215) 75)

Kava extract
Methysticin; Memantine; Middle cerebral artery occlusion; (Rat); (Mouse) (Backhauß, C. (215) 265)

K^+ channel activators
Goblet cell secretion (Kuo, H.-P. (215) 297)

K^+ channel blockers
Jatrophone; Aorta (rat); Ca^{2+}; KCl; Angiotensin II; Noradrenaline (Duarte, D.F.P. (215) 75)

K^+ channels
Antiarrhythmic agents; Ventricular fibrillation (Gwilt, M. (215) 137)

Dihydralazine; Hydralazine; Cromakalim; Nitroprusside; Smooth muscle (vascular) (Thirstrup, S. (215) 177)

Nicorandil; Imidazoline; Portal vein (rat) (Okumura, K. (215) 253)

Evodiamine; Endothelium; Ca^{2+} channels; Mesenteric artery (Chiou, W.-F. (215) 277)

K^+ channels (ATP-dependent)
Nicorandil; Hyperpolarization; cGMP; Methylene blue (Holzmann, S. (215) 1)

KCl
Jatrophone; Aorta (rat); K^+ channel blockers; Ca^{2+}; Angiotensin II; Noradrenaline (Duarte, D.F.P. (215) 75)

K^+ currents
Smooth muscle cells; DDT_1 MF-2 cells; Nucleotide receptors; ATP; UTP (Van der Zee, L. (215) 317)

L 668,169
NK_1 receptors; Tachykinin receptor antagonists; CP-96,345; FR 113680; Spantide II (Patacchini, R. (215) 93)

L-687,306
Muscarinic M_1 receptor agonists; Functional selectivity (Freedman, S.B. (215) 135)

Lithium chloride
Monoamines; Hypothalamus; (i.c.v.) (Otero Losada, M.E. (215) 185)

Phosphoinositide (IP_3); Analgesia (Raffa, R.B. (215) 357)

Locomotion
Circadian rhythms; Dopamine; Dopamine D_1 receptors; Dopamine D_2 receptors; Sensitization; Tolerance; PHNO ((+)-4-propyl-9-hydroxynaphthoxazine); SKF 38393 (Martin-Iverson, M.T. (215) 119)

Long-term potentiation (LTP)
Cognition enhancers; Hippocampus; Dentate gyrus; Perforant path stimulation; (Rat); (In vivo) (Molnár, P. (215) 17)

Lung parenchymal strips (guinea-pig)
β-Adrenoceptor-mediated responses; Desensitization; Atria (guinea-pig) (Herepath, M.L. (215) 209)

Mechanoreceptors
EDRF (endothelium-derived relaxing factor); Nitric oxide (NO); Pressure; Endothelial cells; Hypertension (Hishikawa, K. (215) 329)

Medulla (rostral ventrolateral)
Vasomotor neurons; Inositol hexakisphosphate; Phytic acid (Sun, M.-k. (215) 9)

Memantine
Kava extract; Methysticin; Middle cerebral artery occlusion; (Rat); (Mouse) (Backhauß, C. (215) 265)

Mesenteric artery
Evodiamine; Endothelium; Ca^{2+} channels; K^+ channels (Chiou, W.-F. (215) 277)

Metabotropic receptors
Excitotoxicity; Excitatory amino acid (McDonald, J.W. (215) 353)

Methylene blue
Nicorandil; Hyperpolarization; K^+ channels (ATP-dependent); cGMP (Holzmann, S. (215) 1)

Methysticin
Kava extract; Memantine; Middle cerebral artery occlusion; (Rat); (Mouse) (Backhauß, C. (215) 265)

Microdialysis
Noradrenaline; Hippocampus; Morphine withdrawal; Clonidine (Done, C. (215) 333)

Middle cerebral artery occlusion
Kava extract; Methysticin; Memantine; (Rat); (Mouse) (Backhauß, C. (215) 265)

Mitochondrial ATPase activity
β-Adrenoceptor antagonists; Atenolol; Indenolol; Nadolol; Propranolol (Almotrefi, A.A. (215) 231)

MK-801
Dextrorphan; NMDA receptor antagonists (non-competitive); Anticonvulsants; Prepiriform cortex; PCP (1-(1-phenylcyclohexyl)piperidine hydrochloride) (Roth, J.E. (215) 293)

MK-801 (dizocilpine)
NMDA (N-methyl-D-aspartate); Dopamine; 5-HT (5-hydroxytryptamine, serotonin); Ipsapirone; Schizophrenia; Stereotypies; Haloperidol; Apomorphine (Löscher, W. (215) 199)

MK 954 (DuP 753)
Spontaneously hypertensive rat (SHR); Aldosterone; Renin; Angiotensin II; (Rat) (Mizuno, K. (215) 305)

Monoamine release
Amphetamine analogues; Synaptosomes; 5-HT (5-hydroxytryptamine, serotonin) (Berger, U.V. (215) 153)

Monoamines
Lithium chloride; Hypothalamus; (i.c.v.) (Otero Losada, M.E. (215) 185)

Morphine
Development; Antinociception; Distress vocalization; Ultrasonic vocalization; Tolerance; Withdrawal; Opiates (Barr, G.A. (215) 35)

Histamine; Histamine H_2 receptors; Histamine H_2 receptor antagonists; Brain; Antinociception (Hough, L.B. (215) 69)

Antinociception; Tolerance; Adenosine receptors; (Rat) (Tao, P.-L. (215) 301)

Nor-binaltorphimine (nor-BNI); Spiradoline; Antinociception; κ-Opioid receptors (Jones, D.N.C. (215) 345)

Morphine withdrawal
Microdialysis; Noradrenaline; Hippocampus; Clonidine (Done, C. (215) 333)

MPP^+ (1-methyl-4-phenylpyridinium ion)
Striatum; Dopamine uptake; Nicotine; Tobacco smoke (Carr, L.A. (215) 285)

Muscarinic M_1 receptor agonists
Functional selectivity; L-687,306 (Freedman, S.B. (215) 135)

Muscarinic receptor antagonists
Posterior hypothalamic nucleus; Carbachol; (Rat) (Martin, J.R. (215) 83)

Nadolol
β-Adrenoceptor antagonists; Atenolol; Indenolol; Propranolol; Mitochondrial ATPase activity (Almotrefi, A.A. (215) 231)

Nicorandil
Hyperpolarization; K^+ channels (ATP-dependent); cGMP; Methylene blue (Holzmann, S. (215) 1)

Imidazoline; Portal vein (rat); K^+ channels (Okumura, K. (215) 253)

Nicotine
MPP^+ (1-methyl-4-phenylpyridinium ion); Striatum; Dopamine uptake; Tobacco smoke (Carr, L.A. (215) 285)

Nitric oxide (NO)
EDRF (endothelium-derived relaxing factor); Pressure; Endothelial cells; Mechanoreceptors; Hypertension (Hishikawa, K. (215) 329)

Nitric oxide synthase
Tetrahydrobiopterin; Vasodilatation (Van Amsterdam, J.G.C. (215) 349)

Nitroprusside
Dihydralazine; Hydralazine; Cromakalim; K^+ channels; Smooth muscle (vascular) (Thirstrup, S. (215) 177)

NK_1 receptors
Tachykinin receptor antagonists; CP-96,345; FR 113680; L 668,169; Spantide II (Patacchini, R. (215) 93)

NMDA (N-methyl-D-aspartate)
MK-801 (dizocilpine); Dopamine; 5-HT (5-hydroxytryptamine, serotonin); Ipsapirone; Schizophrenia; Stereotypies; Haloperidol; Apomorphine (Löscher, W. (215) 199)

NMDA receptor antagonists
Epilepsy; Anticonvulsants; Audiogenic seizures; Genetically epilepsy-prone rats (De Sarro, G. (215) 221)

NMDA receptor antagonists (non-competitive)
Dextrorphan; Anticonvulsants; Prepiriform cortex; PCP (1-(1-phenylcyclohexyl)piperidine hydrochloride); MK-801 (Roth, J.E. (215) 293)

Nociception
α_2-Adrenoceptors; Pain (Millan, M.J. (215) 355)

Non-adrenergic binding sites
α_2-Adrenoceptors; α-Adrenoceptor antagonists; [^{3}H]Atipamezole; [^{3}H]Rauwolscine (Sjöholm, B. (215) 109)

Non-adrenergic non-cholinergic (NANC) excitatory nerves
Capsazepine; Capsaicin; Electrical field stimulation; Tetrodotoxin (Belvisi, M.G. (215) 341)

Noradrenaline
Jatrophone; Aorta (rat); K^+ channel blockers; Ca^{2+}; KCl; Angiotensin II (Duarte, D.F.P. (215) 75)

Microdialysis; Hippocampus; Morphine withdrawal; Clonidine (Done, C. (215) 333)

Nor-binaltorphimine (nor-BNI)
Spiradoline; Antinociception; Morphine; κ-Opioid receptors (Jones, D.N.C. (215) 345)

Norepinephrine
Estrogen; Angiotensin II; Aorta (rat); Contraction (Cheng, D.Y. (215) 171)

Nucleotide receptors
Smooth muscle cells; DDT_1 MF-2 cells; ATP; UTP; K^+ currents (Van der Zee, L. (215) 317)

Oedema
Aging; Airway obstruction; Asthma; Histamine; Plasma exudation; Substance P; Vascular permeability (Arakawa, H. (215) 51)

Opiates
Development; Antinociception; Distress vocalization; Ultrasonic vocalization; Tolerance; Withdrawal; Morphine (Barr, G.A. (215) 35)

κ-Opioid receptors
Nor-binaltorphimine (nor-BNI); Spiradoline; Antinociception; Morphine (Jones, D.N.C. (215) 345)

Opioids
Antinociception; Spinal cord; Dorsal horn neurons; α_2-Adrenoceptor agonists; Dexmedetomidine (Sullivan, A.F. (215) 127)

Ovariectomy
Benzodiazepine exposure (chronic); Tolerance; Steroid hormones; GABA/benzodiazepine receptors; Anticonvulsants (Wilson, M.A. (215) 99)

Pain
α_2-Adrenoceptors; Nociception (Millan, M.J. (215) 355)

[^{3}H]Paroxetine binding
5-HT uptake inhibitors; Structure–activity relationship; Brain (rat) (Marcusson, J.O. (215) 191)

PCP (1-(1-phenylcyclohexyl)piperidine hydrochloride)
Dextrorphan; NMDA receptor antagonists (non-competitive); Anticonvulsants; Prepiriform cortex; MK-801 (Roth, J.E. (215) 293)

Pentobarbital
Punishment; Fixed-interval responding; Diazepam; Phencyclidine; Tolerance; (Pigeon) (McMillan, D.E. (215) 145)

Perforant path stimulation
Long-term potentiation (LTP); Cognition enhancers; Hippocampus; Dentate gyrus; (Rat); (In vivo) (Molnár, P. (215) 17)

Pharmacokinetics (cerebral)
Amoxapine; Dopamine; DOPAC (3,4-dihydroxyphenylacetic acid); Homovanillic acid (HVA) (Kobayashi, A. (215) 43)

Phencyclidine
Punishment; Fixed-interval responding; Diazepam; Pentobarbital; Tolerance; (Pigeon) (McMillan, D.E. (215) 145)

Pheochromocytoma PC12 cells
ATP; Ion channels; Dopamine; Dopamine receptor agonists; Dopamine receptor antagonists (Inoue, K. (215) 321)

PHNO ((+)-4-propyl-9-hydroxynaphthoxazine)
Circadian rhythms; Dopamine; Dopamine D_1 receptors; Dopamine D_2 receptors; Locomotion; Sensitization; Tolerance; SKF 38393 (Martin-Iverson, M.T. (215) 119)

Phosphoinositide (IP_3)
Lithium chloride; Analgesia (Raffa, R.B. (215) 357)

Phytic acid
Vasomotor neurons; Inositol hexakisphosphate; Medulla (rostral ventrolateral) (Sun, M.-k. (215) 9)

Plasma exudation
Aging; Airway obstruction; Asthma; Oedema; Histamine; Substance P; Vascular permeability (Arakawa, H. (215) 51)

Platelet aggregation
Aldose reductase inhibitors; Diabetes; (Rat) (Takiguchi, Y. (215) 289)

Portal vein (rat)
Nicorandil; Imidazoline; K^+ channels (Okumura, K. (215) 253)

Posterior hypothalamic nucleus
Carbachol; Muscarinic receptor antagonists; (Rat) (Martin, J.R. (215) 83)

Pramipexole (SND 919)
Dopamine receptors (presynaptic, postsynaptic); (Rat); (Monkey) (Mierau, J. (215) 161)

Prepiriform cortex
Dextrorphan; NMDA receptor antagonists (non-competitive); Anticonvulsants; PCP (1-(1-phenylcyclohexyl)piperidine hydrochloride); MK-801 (Roth, J.E. (215) 293)

Pressure
EDRF (endothelium-derived relaxing factor); Nitric oxide (NO); Endothelial cells; Mechanoreceptors; Hypertension (Hishikawa, K. (215) 329)

Propranolol
β-Adrenoceptor antagonists; Atenolol; Indenolol; Nadolol; Mitochondrial ATPase activity (Almotrefi, A.A. (215) 231)

Protease inhibitors
Angiotensin receptors; Angiotensin II; Angiotensin III; Smooth muscle cells (Fujimoto, M. (215) 259)

Punishment
Fixed-interval responding; Diazepam; Pentobarbital; Phencyclidine; Tolerance; (Pigeon) (McMillan, D.E. (215) 145)

Quinoxalinediones
Xenopus oocytes (rat cortex mRNA-injected); Hippocampal slices (Randle, J.C.R. (215) 237)

[^{3}H]Rauwolscine
α_2-Adrenoceptors; α-Adrenoceptor antagonists; Non-adrenergic binding sites; [^{3}H]Atipamezole (Sjöholm, B. (215) 109)

Recombinant renin (human)
Spontaneously hypertensive rat (SHR); Blood pressure; Renin inhibitors (Shibasaki, M. (215) 271)

Renin
Spontaneously hypertensive rat (SHR); Aldosterone; MK 954 (DuP 753); Angiotensin II; (Rat) (Mizuno, K. (215) 305)

Renin inhibitors
Recombinant renin (human); Spontaneously hypertensive rat (SHR); Blood pressure (Shibasaki, M. (215) 271)

Salbutamol
Amino acid transport; Blood–brain barrier; β_2-Adrenoceptors; L-DOPA (L-3,4-dihydroxyphenylalanine); Isoproterenol (Takao, Y. (215) 245)

Satiety
Food intake; Bombesin; Bombesin receptor agonists; Bombesin receptor antagonists; CCK receptor antagonists (Laferrère, B. (215) 23)

Schizophrenia
NMDA (N-methyl-D-aspartate); MK-801 (dizocilpine); Dopamine; 5-HT (5-hydroxytryptamine, serotonin); Ipsapirone; Stereotypies; Haloperidol; Apomorphine (Löscher, W. (215) 199)

Sensitization
Circadian rhythms; Dopamine; Dopamine D_1 receptors; Dopamine D_2 receptors; Locomotion; Tolerance; PHNO ((+)-4-propyl-9-hydroxynaphthoxazine); SKF 38393 (Martin-Iverson, M.T. (215) 119)

SKF 38393
Circadian rhythms; Dopamine; Dopamine D_1 receptors; Dopamine D_2 receptors; Locomotion; Sensitization; Tolerance; PHNO ((+)-4-propyl-9-hydroxynaphthoxazine) (Martin-Iverson, M.T. (215) 119)

Smooth muscle cells
Angiotensin receptors; Angiotensin II; Angiotensin III; Protease inhibitors (Fujimoto, M. (215) 259)

DDT_1 MF-2 cells; Nucleotide receptors; ATP; UTP; K^+ currents (Van der Zee, L. (215) 317)

Smooth muscle (vascular)
Dihydralazine; Hydralazine; Cromakalim; Nitroprusside; K^+ channels (Thirstrup, S. (215) 177)

Spantide II
NK_1 receptors; Tachykinin receptor antagonists; CP-96,345; FR 113680; L 668,169 (Patacchini, R. (215) 93)

Spinal cord
Antinociception; Dorsal horn neurons; α_2-Adrenoceptor agonists; Dexmedetomidine; Opioids (Sullivan, A.F. (215) 127)

Spiradoline
Nor-binaltorphimine (nor-BNI); Antinociception; Morphine; κ-Opioid receptors (Jones, D.N.C. (215) 345)

Spontaneously hypertensive rat (SHR)
Recombinant renin (human); Blood pressure; Renin inhibitors (Shibasaki, M. (215) 271)

Aldosterone; MK 954 (DuP 753); Renin; Angiotensin II; (Rat) (Mizuno, K. (215) 305)

Stereotypies
NMDA (N-methyl-D-aspartate); MK-801 (dizocilpine); Dopamine; 5-HT (5-hydroxytryptamine, serotonin); Ipsapirone; Schizophrenia; Haloperidol; Apomorphine (Löscher, W. (215) 199)

Steroid hormones
Benzodiazepine exposure (chronic); Tolerance; Ovariectomy; GABA/benzodiazepine receptors; Anticonvulsants (Wilson, M.A. (215) 99)

Striatum
MPP^+ (1-methyl-4-phenylpyridinium ion); Dopamine uptake; Nicotine; Tobacco smoke (Carr, L.A. (215) 285)

Structure–activity relationship
[^{3}H]Paroxetine binding; 5-HT uptake inhibitors; Brain (rat) (Marcusson, J.O. (215) 191)

Subfornical organ
C-type natriuretic peptide-22; ANP (atrial natriuretic peptide); ANP receptors; Choroid plexus; (Rat) (Himeno, A. (215) 337)

Substance P
Aging; Airway obstruction; Asthma; Oedema; Histamine; Plasma exudation; Vascular permeability (Arakawa, H. (215) 51)

CP-96,345; Ca^{2+} channels (Schmidt, A.W. (215) 351)

Synaptosomes
Amphetamine analogues; Monoamine release; 5-HT (5-hydroxytryptamine, serotonin) (Berger, U.V. (215) 153)

Tachykinin receptor antagonists
NK_1 receptors; CP-96,345; FR 113680; L 668,169; Spantide II (Patacchini, R. (215) 93)

Tail-flick inhibition
β-Endorphin; CCK-8s (sulfated cholecystokinin octapeptide); [Met^5]enkephalin (Tseng, L.F. (215) 309)

Tetrahydrobiopterin
Vasodilatation; Nitric oxide synthase (Van Amsterdam, J.G.C. (215) 349)

Tetrodotoxin
Capsazepine; Non-adrenergic non-cholinergic (NANC) excitatory nerves; Capsaicin; Electrical field stimulation (Belvisi, M.G. (215) 341)

Tobacco smoke
MPP^+ (1-methyl-4-phenylpyridinium ion); Striatum; Dopamine uptake; Nicotine (Carr, L.A. (215) 285)

Tolerance
Development; Antinociception; Distress vocalization; Ultrasonic vocalization; Withdrawal; Morphine; Opiates (Barr, G.A. (215) 35)

Benzodiazepine exposure (chronic); Steroid hormones; Ovariectomy; GABA/benzodiazepine receptors; Anticonvulsants (Wilson, M.A. (215) 99)

Circadian rhythms; Dopamine; Dopamine D_1 receptors; Dopamine D_2 receptors; Locomotion; Sensitization; PHNO ((+)-4-propyl-9-hydroxynaphthoxazine); SKF 38393 (Martin-Iverson, M.T. (215) 119)

Punishment; Fixed-interval responding; Diazepam; Pentobarbital; Phencyclidine; (Pigeon) (McMillan, D.E. (215) 145)

Morphine; Antinociception; Adenosine receptors; (Rat) (Tao, P.-L. (215) 301)

Ultrasonic vocalization
Development; Antinociception; Distress vocalization; Tolerance; Withdrawal; Morphine; Opiates (Barr, G.A. (215) 35)

UTP
Smooth muscle cells; DDT_1 MF-2 cells; Nucleotide receptors; ATP; K^+ currents (Van der Zee, L. (215) 317)

Vascular permeability
Aging; Airway obstruction; Asthma; Oedema; Histamine; Plasma exudation; Substance P (Arakawa, H. (215) 51)

Vasodilatation
Tetrahydrobiopterin; Nitric oxide synthase (Van Amsterdam, J.G.C. (215) 349)

Vasomotor neurons
Inositol hexakisphosphate; Medulla (rostral ventrolateral); Phytic acid (Sun, M.-k. (215) 9)

Ventricular fibrillation
Antiarrhythmic agents; K^+ channels (Gwilt, M. (215) 137)

Withdrawal
Development; Antinociception; Distress vocalization; Ultrasonic vocalization; Tolerance; Morphine; Opiates (Barr, G.A. (215) 35)

***Xenopus* oocytes (rat cortex mRNA-injected)**
Hippocampal slices; Quinoxalinediones (Randle, J.C.R. (215) 237)